



1200x2400mm

MIGHTY SIZE







ILLUMINATING SPACES WITH THE GRAND SIZE  
OF TILES AND ITS UNIQUE DESIGNS

WE CREATE

# Colossal

PRODUCT RANGE



ARKSLAB  
LARGE SIZE SLAB TILES

1200  
X  
2400  
mm

MIGHTY SIZE


A floor made of large tiles makes any room up-to-date. The minimum width grout joints are used beautifully that makes your surface consistent with the rectified edges & sure gives utter elegance.





Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range

\*




**GALAXY STATUARIO (BOOK MATCH) BOOK MATCH A+B**



\*



**GRONZA WHITE BOOK MATCH A+B**



\*




**ALTIMO WHITE (BOOK MATCH) BOOK MATCH A+B**



\*



**COVELANO LASCA (BOOK MATCH) BOOK MATCH A+B**





1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness




- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range

\*



BROCKEN BRECIA (BOOK MATCH) BOOK MATCH A+B

\*



BRECCIA MONET BOOK MATCH A+B

\*



CHIFFON BEIGE BOOK MATCH A+B

\*



BETHANY BLUE BOOK MATCH A+B





\*



\*




ALONZO BLUE 8 FACE BOOK MATCH

ELITE BLACK BOOK MATCH A+B



\*Book Match Series



FLOOR & WALL : ALONZO BLUE



\*



PATAGONIA BOOK MATCH


BOOK MATCH A+B

\*



EXXARO GREY

BOOK MATCH A+B



FLOOR & WALL : PATAGONIA BOOK MATCH





Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range

\*



STATUARIO BELGIA (CONTINUE)


3 FACE CONTINUE

\*




STATUARIO AFYON

3 FACE CONTINUE



\*Continue Series

\* 




PACIFIC WHITE

4 FACE CONTINUE



\*



EMBER WHITE

3 FACE CONTINUE



\*Continue Series  Ready To Load





Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range

\*




HOIST WHITE 3 FACE CONTINUE




\*




GLORIOUS WHITE (CONTINUE) 3 FACE CONTINUE




\*



ATLANTIC WHITE (CONTINUE) 2 FACE CONTINUE



\*



IMPACT STATUARIO (CONTINUE) 3 FACE CONTINUE







1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



BETEL WHITE

2 RANDOM




STATUARIO GOLD

3 RANDOM



ATLANTIC WHITE

2 RANDOM



SUMMER WHITE

4 RANDOM











1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness

\*



SUMMER WHITE BOOK MATCH A+B



\*Book Match Series



FLOOR & WALL : SUMMER WHITE





1200x  
2400mm

HIGH GLOSSY FINISH


DECOR SERIES

9mm thickness




M 1001

1 RANDOM



\*Dark High Glossy Series



WALL : M 1001






ALEX CALACATTA 3 RANDOM



ONYX LUXURY 3 RANDOM



ZED ONYX ICE 4 RANDOM



ZED ONYX CLASSIC 4 RANDOM





1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



REGAL NATURAL 3 RANDOM

REGAL BEIGE 3 RANDOM



Versatile solutions, Easier to lay, Resistant to chemical, Resistant to loads, Resistant to stains, Wide range



ELIZA BEIGE 3 RANDOM

VICTORIA BEIGE 4 RANDOM







TRAVENTINO CREMA

2 RANDOM



DYNA SUPREME

2 RANDOM



FLOOR : DYNA SUPREME





Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



LAVANET BEIGE 3 RANDOM



BERLIM BEIGE 2 RANDOM



DEVCI CREMA 2 RANDOM



DEVCI GREY 2 RANDOM







BRECCIA BEIGE 3 RANDOM

BRECCIA LAVA 2 RANDOM



FLOOR : BRECCIA BEIGE





Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range

\*



BRECCIA CAPRAIA 4 RANDOM




\*



ARENA DUNE 2 RANDOM




\*



PORTORO GOLD 2 RANDOM



\*



PORTORO 2 RANDOM







Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



SONATA WHITE 3 RANDOM



SONATA BRONZE 3 RANDOM



TITANIUM BROWN 3 RANDOM



TITANIUM NATURAL 3 RANDOM







BIANCO LASA 2 RANDOM



LEVANTO BROWN 4 RANDOM



LEVANTO LIGHT 4 RANDOM



LEVANTO NATURAL 4 RANDOM










ARMANI BEIGE 2 RANDOM

ARMANI GOLD 2 RANDOM

ARMANI GREY 2 RANDOM

ARMANI GRIS 2 RANDOM










\*




FOREST BROWN 2 RANDOM



\*



TOPAZ BROWN 1 RANDOM



\* 



PATAGONIA 3 RANDOM



\*



EXOTIC WHITE 2 RANDOM







**TURKE LANA** 1 RANDOM



**CRISTAN STONE** 2 RANDOM



**ICE BERG BLUE** 3 RANDOM



**ARISTONE CERUBE** 2 FACE CONTINUE







\*



\*



\*





TRAVENTINO BEIGE 1 RANDOM

SEMOND PAUL 2 RANDOM

TRIESTA NOIR 3 RANDOM

RAINBOW BROWN 2 RANDOM








Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range




BLACK RIVER 4 RANDOM



AZUL CIELO 3 RANDOM



NERO MARQUINA 3 RANDOM




SAHARA BLACK 2 RANDOM






\*



NARDO GREY 2 RANDOM

PALETHORN 3 RANDOM



\*Dark High Glossy Series



FLOOR & WALL : NARDO GREY





Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



SUMMER WHITE 4 RANDOM



REGAL NATURAL 3 RANDOM



ORION CREMA 4 RANDOM



ORION WHITE 4 RANDOM







Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains




Wide range



RIZ CEDAR 2 RANDOM




RIZ SILVER 2 RANDOM



CAPRON CREMA 3 RANDOM



CAPRON GREY 3 RANDOM







Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range




MEXXO SIENNA 4 RANDOM



MEXXO LIGHT 4 RANDOM



TUNA ROCK ICE 2 RANDOM



TUNA ROCK GREY 2 RANDOM







Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range




MILANO SILVER

3 RANDOM




MILANO GREY

3 RANDOM



SENTILIA BROWN

1 RANDOM



DUST

4 RANDOM







CORTEX CEDAR 2 RANDOM



CORTEX AZURE 2 RANDOM



SANDUNE CAFE 1 RANDOM



ROOST WOOD 1 RANDOM







MULBERRY WOOD DECOR 1 RANDOM



LENOX WOOD 2 RANDOM



MEPAL WOOD BROWN 5 RANDOM



MEPAL WOOD 5 RANDOM







1200x  
2400mm

CARVING FINISH

→ 9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



BURBERRY BEIGE 2 RANDOM

BURBERRY BROWN 2 RANDOM

BURBERRY GREY 2 RANDOM







STUCCO BEIGE 2 RANDOM

CORTEN BEIGE 2 RANDOM





FLOOR : STUCCO BEIGE





RUBY QUARTZ SEAL 4 RANDOM

RUBY QUARTZ ASH 4 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



LURENT BROWN 5 RANDOM

LURENT BLUE 5 RANDOM





-   
 Versatile solutions
-   
 Easier to lay
-   
 Resistant to chemical
-   
 Resistant to loads
-   
 Resistant to stains
-   
 Wide range



**BRECCIA MARINO LATTE** 2 RANDOM

**BRECCIA MARINO NATURAL** 2 RANDOM

**BRECCIA MARINO ASH** 2 RANDOM





## TECHNICAL SPECIFICATION OF ACCORD SLAB VITRIFIED TILE

TEST DISCRPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rapture(N/mm <sup>2</sup> )	IS-13630-6	Min. 35N/mm <sup>2</sup>	Min. 37N/mm <sup>2</sup>
Breaking Strength(N)	IS-13630-6	<7.5mm-700N ≥7.5mm-1300N	≤7.5mm-1000N ≥7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As per Mfg.	Class II Min.
Co-Efficient of Linear Thermal Expansion	IS-13630-4	As per Mfg.	6.5x10 <sup>-6</sup> Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As per Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficient of Restitution	IS-13630-14	As per Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As per Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As per Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B A	As per Mfg.	As per Mfg.

## PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200x2400mm	9mm	1 pcs.	2.88 sq. mtr.	60 kg

