



PROBITY

Ceramic LLP

600 X 300 MM
DIGITAL WALL TILES

**GLOSSY KITCHEN
SERIES**

📍 Jetpar Road B/H Eurocoin Ceramic,
Near Narmada Canal, Morbi,
Gujarat - 363642

☎ +91 91044 77550
+91 91044 77551
+91 91044 77552

✉ info@probityllp.com
🌐 www.probityllp.com
📱



PROBITY

Ceramic LLP

sight of

peace

OUR DESIGNS ARE SPECIALIZED TO INVOKE AN ATMOSPHERE OF SERENITY WHEREVER YOU CHOOSE OUR TILES TO BE. YOUR VISION OF A CALM AND TRANQUIL ABODE FULL OF VISUAL WONDER IS NOW POSSIBLE. WITNESS THE DIFFERENCE ONCE YOU LET OUR CREATIONS STEP INSIDE YOUR SPACE.

Size
600x300mm



GLOSSY KITCHEN SERIES



5050-L



5050-HL-1



5050-HL-2



5050-L



5051-L



5051-HL-1



5051-HL-2



5051-L



5052-L



5052-HL-1



5052-HL-2



5052-L



5053-L



5053-HL-1




5053-HL-2



5053-L

GLOSSY KITCHEN SERIES




5054-L




5054-HL-1



5054-HL-2



5054-L




5055-L



5055-HL-1




5055-HL-2



5055-L

GLOSSY KITCHEN SERIES




5056-L



5056-HL-1



5056-HL-2



5056-L



5057-L




5057-HL-1



5057-HL-2



5057-D




5058-L



5058-HL-1



5058-HL-2



5058-L



5059-L



5059-HL-1



5059-HL-2



5059-L




5060-L



5060-HL-1




5060-HL-2



5060-L

GLOSSY KITCHEN SERIES



5061-L



5061-HL-1



5061-HL-2



5061-L

GLOSSY KITCHEN SERIES



5062-L



5062-HL-1



5062-HL-2



5062-L



5063-L



5063-HL-1



5063-HL-2



5063-D



5064-L



5064-HL-1



5064-HL-2



5064-L



5065-L




5065-HL-1



5065-HL-2



5065-L




5066-L



5066-HL-1



5066-HL-2



5066-L



5067-L



5067-HL-1



5067-HL-2



5067-D



5068-L




5068-HL-1



5068-HL-2



5068-D



5069-L



5069-HL-1



5069-HL-2



5069-L



5070-L



5070-HL-1



5070-HL-2



5070-L

TECHNICAL SPECIFICATION

CHARACTERISTICS	EURO STANDARDS EN- 159/IS 13753	COMPANY VALUE
Dimension & Surface Quality		
 Deviation in length & width	± 0.5%	± 0.4%
 Deviation in Thickness	± 0.6 mm	± 0.5 mm
Straightness of Sides	± 0.3%	± 0.2%
Rectangularity	± 0.5%	± 0.3%
 Surface flatness	± 0.5%	± 0.5%
 Surface quality	Min. 95%	Min. 96%
Physical properties		
Water absorption	> 10%	13-17%
Scratch (moh's) hardness	Min 3	Min.3
Moisture expansion	0.04%	0.04%
 Crazing	1 Cycle	No Crazing at 4 Cycle
Thermal Properties		
 Thermal expansion	Max : 9E -06	Conform
Thermal Shock	Resistant to 10 Cycle	Conform
Chemical Properties		
Household chemical	Min Class B	Resistant to all Acids and Alkalies & Household chemicals, except Hydro Flouric Acid
Stilting Resistant	Min Class 2	

PACKAGING DETAIL

No.	Sizes	600 x 300 mm	300 x 300 mm
01	Thickness (mm) Approx	9.25 mm	8.00 mm
02	Weight Per Box. (Kgs.) Approx	14.00 KG.	11.00 KG.
03	No. of Tiles Per Box	5 Pic	9 Pic
04	Sq. Mtr. Per Box	0.9 Sq. Mtr.	0.81Sq. Mtr.